



# Muestreador de agua Niskin

# Niskin Water Sampler Bottles, 1,7 – 12 L



## General:

- The PVC tube section is a non-metallic construction, so its interior is totally free from metal parts
- Drainage by a Delrin stopcock, (4,7 mm at base) and an air vent screw
- End stopper closure band made of sea water resistant Para/Latex tubing. The lids have a spherical section sealing
- AISI 316 stainless steel mounting clamps
- Recommended wire diameter: Ø6 mm
- Standard delivery includes a 400 g drop messenger

## Compatibility:

The bottles are compatible with Niskin bottles mfd. by General Oceanographic, Sea Bird (Ocean Test System) and other brands.

### Niskin water bottles

| Order no. | Pcs. | Product  |  |
|-----------|------|--|--|
| 60.100    | 1    | <p>1,7 L PVC Niskin water sampler</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Free flow construction</li> <li><input type="checkbox"/> Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel</li> <li><input type="checkbox"/> Length, closed: 650 mm</li> <li><input type="checkbox"/> Weight 2,7 kg</li> </ul> |  |
| 60.200    | 1    | <p>2,5 L PVC Niskin water sampler</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Free flow construction</li> <li><input type="checkbox"/> Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel</li> <li><input type="checkbox"/> Length, closed: 865 mm</li> <li><input type="checkbox"/> Weight 3,3 kg</li> </ul> |  |

|        |   |   |  |
|--------|---|---|--|
| 60.300 | 1 | <p>5,0 L PVC Niskin water sampler</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel</li> <li><input type="checkbox"/> Length, closed: 720 mm</li> <li><input type="checkbox"/> Weight 5,0 kg</li> </ul>   |    |
| 60.400 | 1 | <p>7,5 L PVC Niskin water sampler</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel</li> <li><input type="checkbox"/> Length, closed: 920 mm</li> <li><input type="checkbox"/> Weight 6,0 kg</li> </ul>   |    |
| 60.500 | 1 | <p>10,0 L PVC Niskin water sampler</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel</li> <li><input type="checkbox"/> Length, closed: 1110 mm</li> <li><input type="checkbox"/> Weight 8,0 kg</li> </ul> |   |
| 60.600 | 1 | <p>12,0 L PVC Niskin water sampler</p> <ul style="list-style-type: none"> <li><input type="checkbox"/> Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel</li> <li><input type="checkbox"/> Length, closed: 1300 mm</li> <li><input type="checkbox"/> Weight 9,0 kg</li> </ul> |  |