



Muestreador de agua Niskin

Niskin Water Sampler Bottles, 1,7 – 12 L



General:

- The PVC tube section is a non-metallic construction, so its interior is totally free from metal parts
- Drainage by a Delrin stopcock, (4,7 mm at base) and an air vent screw
- End stopper closure band made of sea water resistant Para/Latex tubing. The lids have a spherical section sealing
- AISI 316 stainless steel mounting clamps
- Recommended wire diameter: Ø6 mm
- Standard delivery includes a 400 g drop messenger

Compatibility:

The bottles are compatible with Niskin bottles mfd. by General Oceanographic, Sea Bird (Ocean Test System) and other brands.

Niskin water bottles

Order no.	Pcs.	Product	
60.100	1	1,7 L PVC Niskin water sampler □ Free flow construction □ Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel □ Length, closed: 650 mm □ Weight 2,7 kg	
60.200	1	2,5 L PVC Niskin water sampler □ Free flow construction □ Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel □ Length, closed: 865 mm □ Weight 3,3 kg	

60.300	1	5,0 L PVC Niskin water sampler ☐ Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel ☐ Length, closed: 720 mm ☐ Weight 5,0 kg	
60.400	1	7,5 L PVC Niskin water sampler ☐ Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel ☐ Length, closed: 920 mm ☐ Weight 6,0 kg	
60.500	1	10,0 L PVC Niskin water sampler ☐ Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel ☐ Length, closed: 1110 mm ☐ Weight 8,0 kg	
60.600	1	12,0 L PVC Niskin water sampler ☐ Inclusive 400 g drop messenger (60.001) and 2 pcs M10 mounting clamps, AISI 316 stainless steel ☐ Length, closed: 1300 mm ☐ Weight 9,0 kg	